

ENVIRONMENTAL AUDIT REPORT
of
SNDT WOMEN'S UNIVERSITY
MUMBAI



Year: 2020-21

Prepared by

Enrich Consultants

Yashashree, 26, Nirmal Bag Society
Near Muktagan English School, Parvati, Pune 411009
Phone: 09890444795, Email: enrichcons@gmail.com



MAHARASHTRA ENERGY DEVELOPMENT AGENCY

An ISO 9001 : 2000 Reg. no. : RQ 91 / 2482



Maharashtra Energy Development Agency

(Government of Maharashtra Institution)

Aundh Road, Opposite Spicer College Road, Near Commissionerate of Animal Husbandary,

Aundh, Pune, Maharashtra 411067

Ph No: 020-35000450

Email: eee@mahaurja.com, Web: www.mahaurja.com

ECN/2021-22/CR-14/1577

22nd April, 2021

**CERTIFICATE OF REGISTRATION
FOR CLASS 'A'**

We hereby certify that, the firm having following particulars is registered with **MAHARASHTRA ENERGY DEVELOPMENT AGENCY (MEDA)** under given category as "Energy Planner & Energy Auditor" in Maharashtra for Energy Conservation Programme of MEDA.

Name and Address of the firm : M/s Enrich Consultants
Yashashree, Plot No. 26, Nirmal Bag Society,
Near Muktangan English School, Parvati,
Pune - 411009.

Registration Category : *Empanelled Consultant for Energy Conservation Programme for Class 'A'*

Registration Number : *MEDA/ECN/2021-22/Class A/EA-03*

- Energy Conservation Programme intends to identify areas where wasteful use of energy occurs and to evaluate the scope for Energy Conservation and take concrete steps to achieve the evaluated energy savings.
- MEDA reserves the right to visit at any time without giving prior information to verify quarterly activities performed by the firm and canceling the registration, if the information is found incorrect.
- This empanelment is valid till **21st April, 2023** from the date of registration, to carry out energy audits under the Energy Conservation Programme
- The Director General, MEDA reserves the right to cancel the registration at any time without assigning any reasons thereof.

General Manager (EC)



Enrich Consultants

Yashashree, 26, Nirmal Bag Society,
Near Mukhtangan English School, Parvati, Pune 411 009
Tel: 09890444795 Email: enrichcons@gmail.com

Ref: EC/SNDT/20-21/03

Date: 30/11/2021

CERTIFICATE

This is to certify that we have conducted Environmental Audit at SNDT Women's University, Mumbai in the year 2020-21.

The University has adopted following Environment Friendly Practices:

- Usage of Energy Efficient LED Fittings.
- Installation of **500 kWp** Roof Top Solar PV Plant.
- Installation of **16000 LPD** Solar Thermal Water Heating System at Hostel blocks.
- Segregation of Waste at source
- Implementation of Rain Water Harvesting Project

We appreciate the support of Management, involvement of faculty members and students in the process of making the Environment Friendly.

For Enrich Consultants,



A Y Mehendale,
Certified Energy Auditor
EA-8192



INDEX

No	Particulars	Page No
I	Acknowledgement	5
II	Executive Summary	6
III	Abbreviations	8
1	Introduction	9
2	Study of Consumption of Various Resources and CO ₂ Emission	11
3	Study of CO ₂ Emission Reduction	14
4	Study of Indoor Air Quality Parameters	16
5	Study of Indoor Comfort Condition Parameters	21
6	Study of Waste Management	26
7	Study of Rain Water Harvesting	27
8	Study of Environment Friendly Initiative	28
	Annexure	
I	Various Standards in respect of Indoor Air Quality, Water, Noise & Indoor Comfort	29



ACKNOWLEDGEMENT

We Enrich Consultants, Pune, express our sincere gratitude to the management of SNTD Women's University, Mumbai for awarding us the assignment of Environmental Audit of their Churchgate, Juhu & Pune Campuses for the Academic Year: 2020-21.

We are thankful to:

- Dr. Ujwala Chakradeo, Vice Chancellor
- Dr. Subhash Waghmare, Registrar (Additional Charge)
- Mr. Ashish Kamble, University Engineer
- Mr. Maske, Site Engineer

We are also thankful to concerned Faculty Members and Staff Members for helping us during the field study.



EXECUTIVE SUMMARY

1. **SNTD Women's University, Mumbai** has three campuses, namely at Churchgate, Juhu, in Mumbai and at Pune. The major form of Energy is the Electrical Energy, used for various equipment in the campuses.

2. Present Energy Usage & CO₂ Emissions:

No	Parameter/ Value	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Total	302748	272.47
2	Maximum	51902	46.71
3	Minimum	19456	17.51
4	Average	25229	22.71

3. Pollution caused by Day to Day Operation:

- **Air pollution:** Mainly CO₂ on account of Electricity & LPG Consumption
- **Solid Waste:** Bio degradable Waste, Garden Waste, Recyclable Waste and Human Waste
- **Liquid Waste:** Human liquid waste

4. Usage of Renewable Energy & CO₂ Emission Reduction:

- The University has installed 500 kWp Roof Top Solar PV Plant and 16000 LPD Solar Thermal Water Heating System at the Hostel Blocks.
- Annual Alternate Energy Usage is **600000 kWh**.
- The reduction in CO₂ Emission due to usage of Alternate Energy is **540 MT**.

5. Indoor Air Quality Parameters:

No	Campus	Parameter/ Value	AQI	PM-2.5	PM-10
1	Churchgate	Maximum	120	115	130
		Minimum	46	4.5	5.6
2	Juhu	Maximum	240	102	111
		Minimum	100	60	68
3	Pune	Maximum	106	68	84
		Minimum	56	37	39



6. Indoor Comfort Condition Parameters:

No	Location	Parameter/ Value	Temperature, °C	Humidity, %	Lux Level, Lumen	Noise Level, dB
1	Churchgate	Maximum	27.6	92	275	80
		Minimum	23	65	50	54
2	Juhu	Maximum	28.5	84	945	72
		Minimum	25.5	53	30	45
3	Pune	Maximum	29	99	72	324
		Minimum	22.5	77	42	27

5. Waste Management:

5.1 Solid Waste Management:

The Waste is segregated at source and is further disposed of through Government Authorities.

5.2 E- Waste Management:

It is recommended to dispose of the E-Waste through Authorized vendors.

6. Rain Water Harvesting:

The University has implemented Rain Water Harvesting Project at Churchgate campus. The water collected is used to recharge the ring well.

7. Environment Friendly Initiatives:

- The University has made provision for Sanitary Waste Incinerator.

8. Notes & Assumptions:

1. **1 kWh** of Electrical Energy releases **0.9 Kg of CO₂** into atmosphere.
2. **1 kWp** Roof Top Solar PV Plant generates **4 kWh** of Electrical Energy /Day
3. Annual Energy Generation Days: For Solar PV Plant: **300 Nos**

9. References:

1. For Computation of CO₂ Emissions: www.tatapower.com
2. For Indoor Air Quality: www.cpcb.com
3. For Indoor Comfort Parameters: www.ishrae.com
4. For Energy Generated by Solar PV Plant: www.solarroftop.gov.in



ABBREVIATIONS

LED	: Light Emitting Diode
SNDT	: Shreemati Nathibai Damodar Thackersey
CPCB	: Central Pollution Control Board
ISHARE	: The Indian Society of Heating & Refrigerating & Air Conditioning Engineers
AQI	: Air Quality Index
PM2.5	: Particulate Matter of Size 2.5 microns
PM 10	: Particulate Matter of Size 10 microns
kWh	: kilo-Watt Hour
kWp	: Kilo Watt Peak
Qty	: Quantity
MT	: Metric Ton
LPD	: Liters Per Day



CHAPTER-I INTRODUCTION

1.1 Important Definitions:

1.1.1 Environment: Definition as per environment Protection Act: 1986

Environment includes water, air and land and the inter-relationship which exists among and between Water, Air, Land and Human beings, other living creatures, plants microorganism and property

1.1.2. Environmental Audit: Definition:

An audit which aims at verification and validation to ensure that various environmental laws are compiled with and adequate care has been taken towards environmental protection and preservation. According to UNEP, 1990, "Environmental audit can be defined as a management tool comprising systematic, documented and periodic evaluation of how well environmental organization management and equipment are performing with an aim of helping to regularize the environment

1.1.3. Environmental Pollutant: means any solid, liquid and gaseous substance present in the concentration as may be, or tend to be, injurious to Environment.

Table No-1: Relevant Environmental Laws in India:

1927	The Indian Forest Act
1972	The Wildlife Protection Act
1974	The Water (Prevention and Control of Pollution) Act
1977	The Water (Prevention & Control of Pollution) Cess Act
1980	The Forest (Conservation) Act
1981	The Air (Prevention and Control of Pollution) Act
1986	The Environment Protection Act
1991	The Public Liability Insurance Act
2002	The Biological Diversity Act
2010	The National Green Tribunal Act

Table No-2: Some Important Environmental Rules in India:

1989	Hazardous Waste (Management and Handling) Rules
1989	Manufacture, Storage and Import of Hazardous Chemical Rules
2000	Municipal Solid Waste (Management and Handling) Rules
1998	The Biomedical Waste (Management and Handling) Rules
1999	The Environment (Siting for Industrial Projects) Rules
2000	Noise Pollution (Regulation and Control) Rules
2000	Ozone Depleting Substances (Regulation and Control) Rules
2011	E-waste (Management and Handling) Rules
2011	National Green Tribunal (Practices and Procedure) Rules
2011	Plastic Waste (Management and Handling) Rules



Table No-3: National Environmental Plans & Policy Documents:

1.	National Forest Policy, 1988
2.	National Water Policy, 2002
3.	National Environment Policy or NEP (2006)
4.	National Conservation Strategy and Policy Statement on Environment and Development, 1992
5.	Policy Statement for Abatement of Pollution (1992)
6.	National Action Plan on Climate Change
7.	Vision Statement on Environment and Human Health
8.	Technology Vision 2030 (The Energy Research Institute)
9.	Addressing Energy Security and Climate Change (MoEF and Bureau of Energy Efficiency)
10	The Road to Copenhagen; India's Position on Climate Change Issues (MoEF)

1.2 Objectives:

1. To study Consumption of various Resources & CO₂ Emissions
2. To Study Usage of Renewable Energy & CO₂ Emission Reduction
3. To Study Waste Management Practices
4. To Study Rain Water Harvesting
5. To study Eco Friendly & Sustainable Initiatives

1.2 Table No 4: General Details of University:

No	Head	Particulars
1	Name	SNTD Women's University
2	Address	1, Nathibai Thackersey Road, Mumbai 400 020
3	Campuses Under Study	1) Churchgate Campus, Mumbai 2) Juhu Campus, Mumbai 3) Pune Campus
3	Year of Establishment	1916



CHAPTER-II

STUDY OF CONSUMPTION OF VARIOUS RESOURCES & CO₂ EMISSION

2.1 The University consumes following Natural/derived Resources:

1. Air
2. Water
3. Electrical Energy

We try to draw a schematic diagram for the Institute System & Environment as under.

2.2 Representation of University as a System: Chart No:1




Chart No 1: Representation of University as a System & Environment

2.3 Computation of CO₂ Emissions: A Carbon Foot print is defined as the Total Greenhouse Gas Emissions, emitted due to various activities.

In this we compute the emissions of Carbon-Di-Oxide, by usage of the various forms of Energy used by the University for performing its day to day activities. The University uses Electrical Energy, LPG and Diesel for various Electrical gadgets & day to day activities.

Basis for computation of CO₂ Emissions:

- 1 kWh of Electrical Energy releases 0.9 Kg of CO₂ into atmosphere




Table No 5: Month wise CO₂ Emissions:

No	Month	Campus Wise Energy Consumed, kWh			Total Energy Consumption, kWh	CO ₂ Emissions, MT
		Churchgate	Juhu	Pune		
1	Jul-20	37227	3318	11357	51902	46.71
2	Aug-20	9122	4368	8007	21497	19.35
3	Sep-20	8111	3816	9058	20985	18.89
4	Oct-20	11161	3558	7312	22031	19.83
5	Nov-20	11069	4530	6814	22413	20.17
6	Dec-20	8972	5706	4778	19456	17.51
7	Jan-21	11247	5700	6558	23505	21.15
8	Feb-21	12308	4662	6811	23781	21.40
9	Mar-21	12192	4518	6808	23518	21.17
10	Apr-21	16711	3606	7341	27658	24.89
11	May-21	11994	3528	8406	23928	21.54
12	Jun-21	10684	3228	8162	22074	19.87
13	Total	160798	50538	91412	302748	272.47
14	Maximum	37227	5706	11357	51902	46.71
15	Minimum	8111	3228	4778	19456	17.51
16	Average	13399.83	4211.5	7617.67	25229	22.71

Chart No 2: Representation of Month wise CO₂ Emissions:




Table No 6: Various Important Parameters:

No	Parameter/ Value	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Total	302748	272.47
2	Maximum	51902	46.71
3	Minimum	19456	17.51
4	Average	25229	22.71



CHAPTER-III

STUDY OF CO₂ EMISSION REDUCTION

The University has installed Roof Top Solar PV Plant, on various buildings at Juhu Campus. The University has also installed Solar Thermal Water Heating System at Hostel blocks at Juhu campus and Pune campus respectively. In the following Table, we present the details of Building wise Solar PV Plants installed and Solar Thermal Water Heating Systems installed. In 20-21, due to lockdown, we do not take into account the Solar Thermal Water Heating System saving into account.

Table No 7: Details of Building wise Roof Top Solar PV Plant at Juhu Campus:

No	Name of Building/Location	Plant Capacity, kWp
1	Administrative Block	200
2	Usha Mittal Block	80
3	Library Building	80
4	Law & Pharmacy Building	90
5	Polytechnic Building	50
6	Total	500


Table No 8: Details of Solar Thermal Water Heating Systems installed:

No	Location	Capacity in LPD
1	Juhu Campus	8000
2	Pune Campus	8000
3	Total	16000

In the following Table, we present the percentage of usage of Renewable Energy to Annual Power requirement.

Table No 9: Computation of Reduction in Annual CO₂ Emissions:

No	Particulars	Value	Unit
1	Installed Solar PV Plant Capacity	500	kWp
2	Average Energy generated per Day	4	kWh
3	Annual Generation Days	300	Nos
4	Annual Electrical Energy generated by Solar PV Plant	600000	kWh
5	1 kWh of Electrical Energy is equivalent to	0.9	Kg of CO ₂
6	Annual Reduction in CO₂ Emissions= (4)*(5)/1000	540	MT



Photograph of Roof Top Solar PV Plant:



CHAPTER IV

STUDY OF INDOOR AIR QUALITY PARAMETERS

4.1 Importance of Air Quality:

Air: The common name given to the atmospheric gases used in breathing and photosynthesis.

By volume, Dry Air contains 78.09% Nitrogen, 20.95% Oxygen, 0.93% Argon, 0.039% carbon dioxide, and small amounts of other gases.

On average, a person inhales about **14,000 liters** of air every day. Therefore, poor air quality may affect the quality of life now and for future generations by affecting the health, the environment, the economy and the city's livability.

Rapid urbanization and industrialization has added other elements/compounds to the pure air and thus caused the increase in pollution. In order to prevent, control and abate air pollution, the Air (Prevention and Control of Pollution) Act was enacted in 1981.

Air quality is a measure of the suitability of air for breathing by people, plants and animals.

According to Section 2(b) of Air (Prevention and control of pollution) Act, 1981 'air pollution' has been defined as 'the presence in the atmosphere of any air pollutant.'

As per Section 2(a) of Air (Prevention and control of pollution) Act, 1981 'air pollutant' has been defined as 'any solid, liquid or gaseous substance [(including noise)] present in the atmosphere in such concentration as may be or tend to be injurious to human beings or other living creatures or plants or property or environment

4.2 Air Quality Index:

An **Air Quality Index (AQI)** is a number used by government agencies to measure the air pollution levels and communicate it to the population. As the AQI increases, it means that a large percentage of the population will experience severe adverse health effects. The measurement of the AQI requires an air monitor and an air pollutant concentration over a specified averaging period.

We present herewith following important Parameters.

1. AQI- Air Quality Index
2. PM-2.5- Particulate Matter of Size 2.5 micron
3. PM-10- Particulate Matter of Size 10 micron

Table No 10: Indoor Air Quality Parameters: Churchgate Campus:

No	Location	AQI	PM-2.5	PM-10
1	Main Building			
	Committee Hall	70	4.5	5.6



	Central A/c Dept	60	36	48
	Registrar Secretariat	56	33	34
	Registrar Office	46	28	40
	Dean-Science Faculty	71	42	50
2	Annex Building			
	3rd Floor			
	M. Lib .Sci. II classroom2	100	58	73
	M. Lib .Sci. I classroom1	120	115	130
	Computer Lab	89	11	120
	Room	86	63	81
	Lib. Staff room	120	62	78
	PG Office	100	67	84
		46		
3	Patkar Hall	90	56	72
	Maximum	120	115	130
	Minimum	46	4.5	5.6

Table No 11: Indoor Air Quality Parameters: Juhu Campus:

No	Location	AQI	PM2.5	PM10
1	Composite Building			
	Estate Department	190	94	111
	Office	189	84	110
2	P. V. Polytechnic			
	Office	173	82	91
	Principal Office	143	70	86
	Staff Room	190	86	93
	M-119	187	76	85
	M-107	189	85	92
	R-214	178	82	86
	R-222	185	80	84
	M-314	173	86	83
	M-305	172	85	82



3	C. V. Shah College			
	Ground Floor			
	Office	233	100	109
	Principal Office	160	78	88
	Pharmaceutical Lab	240	102	111
	1st Floor			
	Micro Lab	186	86	94
	Class Room	193	84	98
	2nd Floor			
	S. Y .B. Pharm	170	81	90
4	CFBP Dept			
	Ground			
	Office	183	86	93
	Food testing Lab	186	84	93
	1st -Education Technology			
	Admin Office	170	86	90
	Director TLC	160	78	90
	Class Room	150	75	86
	2nd -LAW School			
	Admin Office	163	79	90
	Principal Office	186	80	88
	Class Room	180	85	92
5	SHPT College Of Science			
	Gr. Floor-Lab	206	90	93
	Room	180	79	88
	1st-HOD cabin	150	79	88
	Office	166	81	88
	Staff Room	190	87	99
	2nd -Class Room	193	81	90
	Room	192	79	88
6	Pariksha Bhavan			
	Gr. floor-ac section	193	86	92



	Record & certificates	166	80	90
	1st-Exam Units	190	85	94
	Deputy Registrar	146	74	84
	2nd-Director Cabin	195	94	100
	Confidential Room	190	87	92
7	Jankidevi Bajaj Institute			
	Gr. Floor Office	160	80	92
	Class Room-3	143	72	85
	Faculty	145	76	89
	1st-Computer Lab	148	80	89
	Faculty	145	73	89
8	SVT College			
	Gr. floor-Office	130	68	84
	Vice Principal Office	153	75	85
	1st floor-English Dept	156	78	85
	Virtual Room	145	74	84
	2nd-Fashion Design Lab	148	80	86
	Physics Lab	160	67	82
9	Usha Mittal Institute			
	Gr. Floor Office	100	61	70
	Principal Office	203	90	96
	1st-E-Lab	153	76	87
	Communication Lab	140	72	85
	2nd-HOD IT	150	76	80
	Cloud Computing Lab	106	60	76
	3rd Floor-Library	150	75	68
	Class Room	153	81	92
	4th-Reading Room	143	74	87
	Drawing Hall	130	69	82
	5th-library	153	74	84
	Office	164	81	90
	Maximum	240	102	111
	Minimum	100	60	68



Table No 12: Indoor Air Quality Parameters: Pune Campus:

No	Location	AQI	PM2.5	PM10
1	Campus Admin Office	96	60	75
2	Main Entrance-library	93	55	68
3	Arts College-Principal Office	56	37	39
4	Computer Lab	75	45	56
5	Seminar Hall	85	54	63
6	Room 40	85	52	62
7	Home Science	106	68	84
8	R & M Dept	96	57	68
9	Tarapore Hall	83	50	62
10	MBA College	103	61	74
11	MBA -2nd Floor	96	58	73
12	Media College	80	49	69
13	Media College-2nd Floor	80	43	62
14	Education College	81	45	55
15	Education College-1st Floor	80	46	58
16	Education College-2nd Floor	71	44	45
17	PGSR-Ground Floor	83	51	75
18	PGSR-1st Floor	85	50	62
19	PGSR-2nd Floor	86	51	62
20	PGSR-3rd Floor	86	52	64
21	Maximum	106	68	84
22	Minimum	56	37	39



CHAPTER V

STUDY OF INDOOR COMFORT CONDITION PARAMETERS

In this Chapter, we present the various Indoor Comfort Parameters measured during the Audit.
The Parameters include:

1. Temperature
2. Humidity
3. Lux Level
4. Noise Level.

Table No 13: Study of Indoor Comfort Parameters: Churchgate Campus:

No	Location	Temperature, °C	Humidity, %	Lux Level	Noise Level, dB
1	Main Building				
	Committee Hall	25.5	89	138	75-78
	Central A/c Dept	25.9	65	150	58-65
	Registrar Secretariat	25.3	83	205	68-80
	Annex Building	23	89	214	54
2	3rd Floor	24.1	92	275	80
	M. Lib .Sci.IIclassroom2	25.1	90	230	75
	M. Lib. Sci. I classroom1	26.4	87	266	67
	Computer Lab	26.8	83	94	68
	Room	26.9	82	182	75
3	Patkar Hall	27.6	82	50	63
	Maximum	27.6	92	275	80
	Minimum	23	65	50	54

Table No 14: Study of Indoor Comfort Parameters: Juhu Campus:

No	Location	Temperature, °C	Humidity, %	Lux Level	Noise Level, dB
1	Composite Building				
	Estate Department	26.2	72	856	58
	Office	26.2	72	945	56



2	P. V. Polytechnic				
	Office	29.2	63	103	65
	Principal Office	29.8	54	63	59
	Staff Room	29.7	78	109	61
	M-119	29.6	74	110	59
	M-107	29.7	75	112	59
	R-214	29.6	71	109	61
	R-222	29.7	72	101	52
	M-314	29.7	72	115	54
	M-305	29.7	72	112	58
3	C. V. Shah College				
	Ground Floor				
	Office	25.5	76	70	65
	Principal Office	26	71	85	62
	Pharmaceutical Lab	26	73	113	62
	1st Floor				
	Micro Lab	26.2	84	249	68
	Class Room	26.2	83	180	45
	2nd Floor				
	S. Y .B. Pharm	26.7	79	112	45
4	CFBP Dept				
	Ground				
	Office	28.3	65	120	56
	Food testing Lab	29	62	175	62
	1st -Education Technology				
	Admin Office	29	62	150	68
	Director TLC	29.2	62	160	70
	Class Room	29	67	160	71
	2nd -LAW School				
	Admin Office	29	63	276	64
	Principal Office	29.2	80	130	65
	Class Room	29.2	65	280	70



5	SHPT College Of Science				
	Gr. Floor-Lab	29.2	64	894	45
	Room	29.3	64	150	45
	1st-HOD cabin	29	62	876	72
	Office	29.1	62	850	60
	Staff Room	29.1	61	623	54
	2nd -Class Room	29	61	160	72
	Room	29.2	63	160	64
6	Pariksha Bhavan				
	Gr. floor-ac section	29.1	67	160	60
	Record & certificates	28.8	66	324	62
	1st-Exam Units	29.3	64	266	64
	Deputy Registrar	29.3	56	171	60
	2nd-Director Cabin	29.3	60	100	54
	Confidential Room	29.3	63	210	62
7	Jankidevi Bajaj Institute				
	Gr. Floor Office	29.9	63	200	63
	Class Room-3	29.9	73	135	72
	Faculty	29.9	72	30	60
	1st-Computer Lab	29.8	75	230	50
	Faculty	29.8	71	180	67
8	SVT College				
	Gr. floor-Office	28.4	53	280	71
	Vice Principal Office	27.2	71	214	61
	1st floor-English Dept	27.8	71	260	61
	Virtual Room	28.2	72	214	58
	2nd-Fashion Design Lab	28.4	75	263	56
	Physics Lab	28.6	72	240	64
9	Usha Mittal Institute				
	Gr. Floor Office	28.2	70	130	66



	Principal Office	28.2	69	100	62
	1st-E-Lab	28.7	59	650	60-70
	Communication Lab	28.3	68	102	60
	2nd-HOD IT	28.4	64	164	51
	Cloud Computing Lab	28.9	64	300	71
	3rd Floor-Library	28.4	60	62	61
	Class Room	28.5	60	900	45
	4th-Reading Room	28.5	59	411	62
	Drawing Hall	28.8	76	116	54
	5th-library	28.5	58	220	62
	Office	28.4	63	200	59
	Maximum	28.5	84	945	72
	Minimum	25.5	53	30	45

Table No 15: Study of Indoor Comfort Parameters: Pune Campus:

No	Location	Temperature, °C	Humidity, %	Lux Level	Noise Level, dB
1	Campus Admin Office	22.5	99	63	40
2	Main Entrance-library	24.3	93	64	126
3	Arts College-Principal Office	26.4	88	65	53
4	Computer Lab	24	95	60	124
5	Seminar Hall	27	99	60	110
6	Room 40	27	87	56	125
7	Home Science	25.4	89	72	114
8	R & M Dept	27.3	81	58	69
9	Tarapore Hall	29	77	49	27
10	MBA College	24	97	61	155
11	MBA -2nd Floor	23.2	97	54	155
12	Media College	25.8	94	49	43
13	Media College-2nd Floor	25	92	66	136
14	Education College	28	84	59	75
15	Education College-1st Floor	28.3	98	49	96
16	Education College-2ndFloor	27.7	85	42	96
17	PGSR-Ground Floor	25.8	94	50	115



18	PGSR-1st Floor	25.8	95	47	206
19	PGSR-2nd Floor	24.7	97	54	324
20	PGSR-3rd Floor	24	99	46	84
21	Maximum	29	99	72	324
22	Minimum	22.5	77	42	27



CHAPTER VI

STUDY OF WASTE MANAGEMENT

6.1 Solid Waste Management:


The Waste is segregated at source. Waste collection bins are placed at various locations to collect the Waste. It is further disposed through Government Authorities

Photograph of Waste Collection Bin:



6.2 E-Waste Management:

It is recommended to dispose of the E-Waste through Authorized Vendors.



CHAPTER-VII

RAIN WATER HARVESTING

The University has implemented Rain Water Harvesting Project at Churchgate campus. The water collected is used to recharge the ring well.

Photograph of Rain Water Harvesting Pipe at Churchgate campus:



CHAPTER-VIII

STUDY OF ENVIRONMENT FRIENDLY INITIATIVE

8.1 Sanitary Waste Incinerator: The University has installed as Sanitary Waste Incinerator.

Photograph of Sanitary Waste Incinerator:



ANNEXURE-I:

VARIOUS AIR QUALITY, WATER QUALITY, NOISE & INDOOR COMFORT STANDARDS:

1. Category Wise Air Quality Index Values & Concentration of PM 2.5 & PM10:

No	Category	AQI Value	Concentration Range, PM 2.5	Concentration Range, PM 10
1	Good	0 to 50	0 to 30	0 to 50
2	Satisfactory	51 to 100	31 to 60	51 to 100
3	Moderately Polluted	101 to 200	61 to 90	101 to 250
4	Poor	201 to 300	91 to 120	251 to 350
5	Very Poor	301 to 400	121 to 250	351 to 430
6	Severe	401 to 500	250 +	430 +

2. Recommended Water Quality Standards:

No	Designated Best Use	Criteria
1	Drinking Water Source without conventional Treatment but after disinfection	pH between 6.5 to 8.5 Dissolved Oxygen 6 mg/l or more
2	Drinking water source after conventional treatment and disinfection	pH between 6 to 9 Dissolved Oxygen 4 mg/l or more
3	Outdoor Bathing (Organized)	pH between 6.5 to 8.5 Dissolved Oxygen 5 mg/l or more
4	Controlled Waste Disposal	pH between 6 to 8.5



3. Recommended Noise Level Standards:

No	Location	Noise Level dB
1	Auditoriums	20-25
2	Outdoor Playground	55
3	Occupied Class Room	40-45
4	Un occupied Class Room	35
5	Apartment, Homes	35-40
6	Offices	45-50
7	Libraries	35-40
8	Restaurants	50-55

4. Thermal Comfort Conditions: For Non-conditioned Buildings:

No	Parameter	Value
1	Temperature	Less Than 33° C
2	Humidity	Less Than 70%

